

CONTENTS

	Page
1. INTRODUCTION	1
1.1. Experiment.....	2
1.2. Organization of Report.....	3
2. DTV SUSCEPTIBILITY TO GN INTERFERENCE	4
2.1. Gating Parameters.....	4
2.2. Signal Powers and DTV Signal Quality Metrics	4
2.3. DTV Signal Quality as a Function of Interference Average Power	5
2.4. DTV Susceptibility and FEC Performance as a Function of Interference Fractional On-Time	10
3. CHARACTERIZATION OF GN SIGNALS	16
3.1. Temporal Analysis.....	16
3.2. Amplitude Analysis	18
3.3. Spectral Analysis	22
4. CONCLUSION.....	25
5. ACKNOWLEDGMENTS	28
6. REFERENCES	29
APPENDIX A: EXTENSION OF EXPERIMENT TO GN(MB) SIGNALS	31
A.1. DTV Susceptibility to GN(MB) Interference	32
A.2. Characterization of GN(MB) Signals	39
APPENDIX B: VERIFICATION OF SUSCEPTIBILITY RESULTS	42
B.1. Test System Overview	42
B.2. Signal Calibration	43
B.3. Measured DTV Signal Quality	45
B.4. Theoretical DTV Signal Quality for Gaussian Noise Degradation.....	48
B.5. Validation of Measured DTV Quality Metrics for Gaussian Noise Degradation	50
APPENDIX C: THEORETICAL ANALYSIS OF GATED GAUSSIAN NOISE	53
C.1. Amplitude Probability Distribution	53
C.2. Power Spectral Density	55
APPENDIX D: CHARACTERIZATION MEASUREMENTS.....	58
D.1. Measurement Setup	58
D.2. Results	59

FIGURES

	Page
Figure 1. Simulated gated-noise signal, GN-10	4
Figure 2. SNR , SNR' , INR , INR' , BER , and SER reference points	5
Figure 3. SER versus INR for a DTV receiver operating at $SNR = 9$ dB and exposed to GN interference.....	7
Figure 4. BER versus INR for a DTV receiver operating at $SNR = 9$ dB and exposed to GN interference.....	7
Figure 5. SER versus INR for a DTV receiver operating at $SNR = 12$ dB and exposed to GN interference.....	8
Figure 6. BER versus INR for a DTV receiver operating at $SNR = 12$ dB and exposed to GN interference.....	8
Figure 7. SER versus INR for a DTV receiver operating at $SNR = 15$ dB and exposed to GN interference.....	9
Figure 8. BER versus INR for a DTV receiver operating at $SNR = 15$ dB and exposed to GN interference.....	9
Figure 9. Illustration of threshold-of-visibility metrics.....	10
Figure 10. INR_{TOV} versus $10\log(1/\zeta)$ for a DTV receiver operating at $SNR = 9$ dB and exposed to GN interference	12
Figure 11. BER_{TOV} versus $10\log(1/\zeta)$ for a DTV receiver operating at $SNR = 9$ dB and exposed to GN interference	12
Figure 12. INR_{TOV} versus $10\log(1/\zeta)$ for a DTV receiver operating at $SNR = 12$ dB and exposed to GN interference	13
Figure 13. BER_{TOV} versus $10\log(1/\zeta)$ for a DTV receiver operating at $SNR = 12$ dB and exposed to GN interference	13
Figure 14. INR_{TOV} versus $10\log(1/\zeta)$ for a DTV receiver operating at $SNR = 15$ dB and exposed to GN interference	14
Figure 15. BER_{TOV} versus $10\log(1/\zeta)$ for a DTV receiver operating at $SNR = 15$ dB and exposed to GN interference	14

Figure 16.	Simulated gated-noise signals with the same average power	15
Figure 17.	Illustration of pulse duration and pulse interval	16
Figure 18.	Illustration of burst duration and burst interval	17
Figure 19.	<i>APDs</i> of GN signals with $\tau_{on} = 10$ ns band-limited to B_{DTV}	19
Figure 20.	<i>APDs</i> of GN signals with $\tau_{on} = 100$ ns band-limited to B_{DTV}	19
Figure 21.	<i>APDs</i> of GN signals with $\tau_{on} = 1,000$ ns band-limited to B_{DTV}	20
Figure 22.	<i>APDs</i> of GN signals with $\tau_{on} = 10,000$ ns band-limited to B_{DTV}	20
Figure 23.	Illustration of <i>P/A</i> for GN-10 band-limited to B_{DTV}	21
Figure 24.	<i>PSDs</i> of GN signals with $\tau_{on} = 10$ ns	23
Figure 25.	<i>PSDs</i> of GN signals with $\tau_{on} = 100$ ns	23
Figure 26.	<i>PSDs</i> of GN signals with $\tau_{on} = 1,000$ ns	24
Figure 27.	<i>PSDs</i> of GN signals with $\tau_{on} = 10,000$ ns	24
Figure 28.	INR_{TOV} versus <i>P/A</i> for a DTV receiver operating at $SNR = 9$ dB and exposed to GN interference.....	26
Figure 29.	INR_{TOV} versus <i>P/A</i> for a DTV receiver operating at $SNR = 12$ dB and exposed to GN interference.....	26
Figure 30.	INR_{TOV} versus <i>P/A</i> for a DTV receiver operating at $SNR = 15$ dB and exposed to GN interference.....	27
Figure A-1.	Simulated gated-noise signal, GN(MB)-03	31
Figure A-2.	<i>SER</i> versus INR for a DTV receiver operating at $SNR = 9$ dB and exposed to GN(MB) interference.....	33
Figure A-3.	<i>BER</i> versus INR for a DTV receiver operating at $SNR = 9$ dB and exposed to GN(MB) interference.....	33
Figure A-4.	<i>SER</i> versus INR for a DTV receiver operating at $SNR = 12$ dB and exposed to GN(MB) interference.....	34
Figure A-5.	<i>BER</i> versus INR for a DTV receiver operating at $SNR = 12$ dB and exposed to GN(MB) interference.....	34

Figure A-6.	<i>SER</i> versus <i>INR</i> for a DTV receiver operating at $SNR = 15$ dB and exposed to GN(MB) interference.....	35
Figure A-7.	<i>BER</i> versus <i>INR</i> for a DTV receiver operating at $SNR = 15$ dB and exposed to GN(MB) interference.....	35
Figure A-8.	INR_{TOV} versus $10\log(1/\zeta)$ for a DTV receiver operating at $SNR = 9$ dB and exposed to GN(MB) interference.....	36
Figure A-9.	BER_{TOV} versus $10\log(1/\zeta)$ for a DTV receiver operating at $SNR = 9$ dB and exposed to GN(MB) interference.....	36
Figure A-10.	INR_{TOV} versus $10\log(1/\zeta)$ for a DTV receiver operating at $SNR = 12$ dB and exposed to GN(MB) interference.....	37
Figure A-11.	BER_{TOV} versus $10\log(1/\zeta)$ for a DTV receiver operating at $SNR = 12$ dB and exposed to GN(MB) interference.....	37
Figure A-12.	INR_{TOV} versus $10\log(1/\zeta)$ for a DTV receiver operating at $SNR = 15$ dB and exposed to GN(MB) interference.....	38
Figure A-13.	BER_{TOV} versus $10\log(1/\zeta)$ for a DTV receiver operating at $SNR = 15$ dB and exposed to GN(MB) interference.....	38
Figure A-14.	<i>APDs</i> of single-dwell GN(MB) signals band-limited to B_{DTV}	40
Figure A-15.	<i>APDs</i> of multi-dwell GN(MB) signals band-limited to B_{DTV}	40
Figure A-16.	<i>PSDs</i> of single-dwell GN(MB) signals.....	41
Figure A-17.	<i>PSDs</i> of multi-dwell GN(MB) signals.....	41
Figure B-1.	Block diagram of DTV interference susceptibility test system	42
Figure B-2.	Block diagrams for calibration measurements.....	44
Figure B-3.	<i>BER</i> estimation circuit used by MPEG-2 stream monitor	46
Figure B-4.	Simulation of <i>BER</i> estimation circuit used by MPEG-2 stream monitor	47
Figure B-5.	Theoretical DTV receiver performance versus SNR'	49
Figure B-6.	Theoretical versus measured bit error rate performance of a DTV receiver	50
Figure B-7.	Theoretical and measured <i>BER</i> for Gaussian noise interference	52

Figure B-8.	Theoretical and measured <i>SER</i> for Gaussian noise interference	52
Figure C-1.	Theoretical <i>APDs</i> of gated noise in B_{UWB}	57
Figure C-2.	Theoretical <i>P/A</i> of gated noise in B_{UWB}	57
Figure D-1.	Setup for RF signal characterization measurements	58
Figure D-2.	Simplified setup for IF signal characterization measurements	59
Figure D-3.	RF measurements of GN-01, Gaussian noise	62
Figure D-4.	IF measurements of GN-01 at INR_{TOV}	63
Figure D-5.	RF measurements of GN-02 ($\tau_{on} = 10$ ns, $\zeta = 0.5000$).....	64
Figure D-6.	IF measurements of GN-02 at INR_{TOV}	65
Figure D-7.	RF measurements of GN-03 ($\tau_{on} = 10$ ns, $\zeta = 0.2500$).....	66
Figure D-8.	IF measurements of GN-03 at INR_{TOV}	67
Figure D-9.	RF measurements of GN-04 ($\tau_{on} = 10$ ns, $\zeta = 0.1250$).....	68
Figure D-10.	IF measurements of GN-04 at INR_{TOV}	69
Figure D-11.	RF measurements of GN-05 ($\tau_{on} = 10$ ns, $\zeta = 0.0625$).....	70
Figure D-12.	IF measurements of GN-05 at INR_{TOV}	71
Figure D-13.	RF measurements of GN-06 ($\tau_{on} = 100$ ns, $\zeta = 0.5000$).....	72
Figure D-14.	IF measurements of GN-06 at INR_{TOV}	73
Figure D-15.	RF measurements of GN-07 ($\tau_{on} = 100$ ns, $\zeta = 0.2500$).....	74
Figure D-16.	IF measurements of GN-07 at INR_{TOV}	75
Figure D-17.	RF measurements of GN-08 ($\tau_{on} = 100$ ns, $\zeta = 0.1250$).....	76
Figure D-18.	IF measurements of GN-08 at INR_{TOV}	77
Figure D-19.	RF measurements of GN-09 ($\tau_{on} = 100$ ns, $\zeta = 0.0625$).....	78
Figure D-20.	IF measurements of GN-09 at INR_{TOV}	79

Figure D-21. RF measurements of GN-10 ($\tau_{on} = 1000$ ns, $\zeta = 0.5000$).....	80
Figure D-22. IF measurements of GN-10 at INR_{TOV}	81
Figure D-23. RF measurements of GN-11 ($\tau_{on} = 1000$ ns, $\zeta = 0.2500$).....	82
Figure D-24. IF measurements of GN-11 at INR_{TOV}	83
Figure D-25. RF measurements of GN-12 ($\tau_{on} = 1000$ ns, $\zeta = 0.1250$).....	84
Figure D-26. IF measurements of GN-12 at INR_{TOV}	85
Figure D-27. RF measurements of GN-13 ($\tau_{on} = 1000$ ns, $\zeta = 0.0625$).....	86
Figure D-28. IF measurements of GN-13 at INR_{TOV}	87
Figure D-29. RF measurements of GN-14 ($\tau_{on} = 10,000$ ns, $\zeta = 0.5000$).....	88
Figure D-30. IF measurements of GN-14 at INR_{TOV}	89
Figure D-31. RF measurements of GN-15 ($\tau_{on} = 10,000$ ns, $\zeta = 0.2500$).....	90
Figure D-32. IF measurements of GN-15 at INR_{TOV}	91
Figure D-33. RF measurements of GN-16 ($\tau_{on} = 10,000$ ns, $\zeta = 0.1250$).....	92
Figure D-34. IF measurements of GN-16 at INR_{TOV}	93
Figure D-35. RF measurements of GN-17 ($\tau_{on} = 10,000$ ns, $\zeta = 0.0625$).....	94
Figure D-36. IF measurements of GN-17 at INR_{TOV}	95
Figure D-37. RF measurements of GN(MB)-01 ($b = 1, d = 1$)	96
Figure D-38. IF measurements of GN(MB)-01 at INR_{TOV}	97
Figure D-39. RF measurements of GN(MB)-02 ($b = 3, d = 1$)	98
Figure D-40. IF measurements of GN(MB)-02 at INR_{TOV}	99
Figure D-41. RF measurements of GN(MB)-03 ($b = 3, d = 2$)	100
Figure D-42. IF measurements of GN(MB)-03 at INR_{TOV}	101
Figure D-43. RF measurements of GN(MB)-04 ($b = 7, d = 1$)	102

Figure D-44. IF measurements of GN(MB)-04 at INR_{TOV}	103
Figure D-45. RF measurements of GN(MB)-05 ($b = 7, d = 2$)	104
Figure D-46. IF measurements of GN(MB)-05 at INR_{TOV}	105
Figure D-47. RF measurements of GN(MB)-06 ($b = 7, d = 6$)	106
Figure D-48. IF measurements of GN(MB)-06 at INR_{TOV}	107
Figure D-49. RF measurements of GN(MB)-07 ($b = 13, d = 1$)	108
Figure D-50. IF measurements of GN(MB)-07 at INR_{TOV}	109
Figure D-51. RF measurements of GN(MB)-08 ($b = 13, d = 2$)	110
Figure D-52. IF measurements of GN(MB)-08 at INR_{TOV}	111
Figure D-53. RF measurements of GN(MB)-09 ($b = 13, d = 12$)	112
Figure D-54. IF measurements of GN(MB)-09 at INR_{TOV}	113

TABLES

	Page
Table 1. GN Gating Parameters	4
Table 2. Measured DTV Susceptibility and FEC Performance for GN Interference	11
Table 3. Temporal Characteristics of GN Signals Band-Limited to B_{DTV}	17
Table 4. Amplitude Characteristics of GN Signals Band-Limited to B_{DTV}	21
Table A-1. GN(MB) Gating Parameters	31
Table A-2. Measured DTV Susceptibility and FEC Performance for GN(MB) Interference	32
Table A-3. Temporal Characteristics of GN(MB) Signals Band-Limited to B_{DTV}	39
Table A-4. Amplitude Characteristics of GN(MB) Signals Band-Limited to B_{DTV}	39
Table B-1. Operational Scenario for DTV Interference Susceptibility Tests	43
Table B-2. Probability of Pre-Viterbi Bit Error and Post-RS Segment Error Near TOV.....	49
Table B-3. Signal Powers at the TOV for Gaussian Noise Interference.....	51
Table D-1. RF VSA Measurement Settings	58
Table D-2. RF P/A (dB) of GN and GN(MB) Signals Band-Limited to Different Bandwidths	60
Table D-3. IF P/A (dB) of GN and GN(MB) Signals at INR_{TOV} and Band-Limited to B_{DTV}	61